

# HP Latex Inks Substrate Certificate

Certified for  
**HP Latex Inks**



Supplier Name

**Ritrama Spa**

Substrate Name

**RI-JET 75 White Gloss**

Thickness / Weight

**75 µm**

Certification Date

**March 25, 2015**

Certification Number

**April 07, 2016 - 20061**

This substrate is hereby certified for HP Latex Printing Technologies

**Color Concepts NL**

This substrate is certified for the following HP Latex Printers

**Latex 300 series**

For more information, please refer to the HP media Solutions Locator <http://hp.com/go/mediasolutionslocator>

This substrate has been evaluated under the standard comprehensive testing procedure, in conjunction with HP Latex substrate certification criteria.

Please note: By certifying your product this means you support it's use on HP Latex equipment and its uses, and that you will perform any due diligence necessary should complaints arise. Further, by receiving approval, you agree that if there are any manufacturing or product changes that may impact substrate performance you will have the product re-tested/ re-certified, to eliminate the risk of issues in the field as a result.

 **COLOR  
CONCEPTS**  
raising your standards



# Media Certification for HP Latex

Evaluation Report



Vendor Name\*

**Ritrama Spa**

Certification Number

**April 07, 2016 - 20061**

Date of evaluation

**March 25, 2015**

Qualification

**PASS**

Platform

**Latex 360**

Certification Center

**Color Concepts NL**

## Substrate Information

Substrate Name

**RI-JET 75 White Gloss**

Lot Number

**0**

Substrate Type

**Self Adhesives**

Substrate Sub Type

**Calendered Vinyl Polymeric**

Thickness / Weight

**75 µm**

## Profiling Process

Printer	Ink	RIP	Pass Mode	Vacuum	Airflow
<b>Latex 360</b>	<b>LX 831C</b>	<b>Independent</b>	<b>10p bi_110</b>	<b>50</b>	<b>175</b>

Drying Temp.	Curing Temp.	Ink Limit	OMAS	WUDTO	PMIN
<b>N/A</b>	<b>112</b>	<b>N</b>	<b>E</b>	<b>N/A</b>	<b>N/A</b>

### Image Quality

Color Gamut	L*min	Area Fill Uniformity
<b>494530</b>	<b>9,3</b>	<b>AVERAGE</b>

### Media Printer Interaction

Ink Transfer	Marks	Wrinkles	Dim. Stability	Rewetting
<b>N/A</b>	<b>GOOD</b>	<b>GOOD</b>	<b>-0,22%</b>	<b>GOOD, 22C 60%RH</b>

### Image Handle Ability

Folding/Creasing	Scratchability	Dry Rub	Wet Rub	Cross Cut	Ink Adhesion	Ink Cracking
<b>N/A</b>	<b>GOOD</b>	<b>AVERAGE</b>	<b>GOOD</b>	<b>N/A</b>	<b>GOOD</b>	<b>N/A</b>

Ink Transfer	Waterfastness
<b>N/A</b>	<b>Water Resistant</b>

### Overall Qualification

**PASS**

### Comments

0

### In conjunction with Color Concepts

HP's "Media Certification Program" ("Program") supplies information to media manufacturers, suppliers, and customers to assist in evaluating media compatibility with printers and inks from HP's Graphics Solutions Business. Media is supplied by independent third-party manufacturers. Inclusion in the Program and "Certified for" media shall not be construed as an endorsement by HP for any of the media or manufacturer. HP makes no representation or warranty of any kind for any media in the Program including but not limited to media availability, media quality, media performance, or manufacturer changes that may impact media characteristics. The information contained herein is subject to change without notice. HP makes no representation as to the Program information's completeness or accuracy. The terms and conditions of the Program services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for editorial errors or omissions contained herein. This information is provided as a courtesy, free of charge, "AS-IS" by HP. HP MAKES NO EXPRESS OR IMPLIED WARRANTY OF ANY KIND REGARDING THIS INFORMATION. HP SHALL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER BASED ON CONTRACT, TORT OR ANY OTHER LEGAL THEORY IN CONNECTION WITH OR OUT OF THE FURNISHING OR USE OF THIS INFORMATION.

